



dolle.com/boston




BOSTON

INSTRUCTION / MONTAGEANLEITUNG
INSTRUKTION / INSTRUCCION / INSTRUKCJA


SO GEM

PART OF DOLLE GROUP


I



L



H







S






T

	Height floor-to-floor	Rise height	Number of treads
	Geschosshöhe	Steigungshöhe	Anzahl Stufen
	Hauteur sol-sol	Hauteur de marche	Nombre de marches
	Altura de suelo/suelo	Altura de peldaños	Número de peldaños
	Altura do chão / chão	Altura do degrau	Número de etapas (degraus)
	Hoogte vloer/vloer	Hoogte trede	Aantal treden
	Etagehøjde	Stigningshøjde	Antal trin
	Golv till golv höjd	Stigningshöjd	Antal steg
	Wysokość kondygnacji od podłogi do podłogi	Wysokość stopnia	Ilość stopni
	Înălțime sol-sol	Înălțime treaptă	Număr trepte
	Výška patra podlaha-podlaha	Výška schodu	Počet nášlapů
	Висота от пола до пола	Шар ступени	Кол-во ступеней
	Aukšto aukštis	Pakopos aukštis	Pakopų kiekis
	Stāva augstums	Pakāpiena augstums	Pakāpienu skaits
	Korruse kõrgus	Astme kõrgus	Astmete arv
	Višina nadstropja	Višina stopnice	Število stopnic
	Visina kata	Visina stepenice	Broj stepenica
	Výška podlažia	Výška stupňa	Počet stupňov



26 <table><tr><td></td><td>11</td><td>12</td><td>13</td></tr><tr><td>I</td><td>6</td><td>7</td><td>7</td></tr><tr><td>L</td><td>6</td><td>6</td><td>7</td></tr></table>  K2-1077125 <i>RAL 7016</i> K2-1077126 <i>RAL 9005</i> K2-1077127 <i>Pearl grey</i> K2-1077128 <i>RAL 9016</i>		11	12	13	I	6	7	7	L	6	6	7	27 x 4 K1-1077150 <i>RAL 7016</i> K1-1077151 <i>RAL 9005</i> K1-1077152 <i>Pearl grey</i> K1-1077153 <i>RAL 9016</i> 	28  Ø 12 40 x 2 K3-08041 <table><tr><td></td><td>11</td><td>12</td><td>13</td></tr><tr><td>I</td><td>8</td><td>12</td><td>12</td></tr><tr><td>L</td><td>8</td><td>8</td><td>12</td></tr></table>  K1-14939		11	12	13	I	8	12	12	L	8	8	12
	11	12	13																							
I	6	7	7																							
L	6	6	7																							
	11	12	13																							
I	8	12	12																							
L	8	8	12																							
29 <table><tr><td></td><td>11</td><td>12</td><td>13</td></tr><tr><td>I</td><td>24</td><td>28</td><td>28</td></tr><tr><td>L</td><td>24</td><td>24</td><td>28</td></tr></table>  K1-04041		11	12	13	I	24	28	28	L	24	24	28	30 x 16 K1-40296 <i>Black / Schwarz / Noir / Sort</i> 	31 <table><tr><td></td><td>11</td><td>12</td><td>13</td></tr><tr><td>I</td><td>8</td><td>12</td><td>12</td></tr><tr><td>L</td><td>8</td><td>8</td><td>12</td></tr></table>  K1-14939		11	12	13	I	8	12	12	L	8	8	12
	11	12	13																							
I	24	28	28																							
L	24	24	28																							
	11	12	13																							
I	8	12	12																							
L	8	8	12																							
32  Ø 40 1500 <table><tr><td></td><td>11</td><td>12</td><td>13</td></tr><tr><td>I</td><td>3</td><td>3</td><td>3</td></tr><tr><td>L</td><td>2</td><td>3</td><td>3</td></tr></table> 1078905 <i>Beech / Buche / Hêtre / Bøg</i> 1078915 <i>Oak / Eiche / Chêne / Eg</i>				11	12	13	I	3	3	3	L	2	3	3												
	11	12	13																							
I	3	3	3																							
L	2	3	3																							
33  Ø 6 1125 <table><tr><td></td><td>11</td><td>12</td><td>13</td></tr><tr><td>I</td><td>12</td><td>16</td><td>16</td></tr><tr><td>L</td><td>12</td><td>12</td><td>16</td></tr></table> K1-14076				11	12	13	I	12	16	16	L	12	12	16												
	11	12	13																							
I	12	16	16																							
L	12	12	16																							
37 x 2 K1-1077195 <i>RAL 7016</i> K1-1077196 <i>RAL 9005</i> K1-1077197 <i>Pearl grey</i> K1-1077198 <i>RAL 9016</i> 																										

40  x 10 K3-08001 Ø12 x 60	41  x 10 K3-04001 Ø10	42  x 10 K3-06003 Ø10 x 60	43  <table border="1" data-bbox="1161 163 1342 248"> <tr> <td></td><td>11</td><td>12</td><td>13</td></tr> <tr> <td>I</td><td>61</td><td>66</td><td>71</td></tr> <tr> <td>L</td><td>61</td><td>66</td><td>71</td></tr> </table> K3-05003 M8 x 6		11	12	13	I	61	66	71	L	61	66	71												
	11	12	13																								
I	61	66	71																								
L	61	66	71																								
44 <table border="1" data-bbox="76 392 256 477"> <tr> <td></td><td>11</td><td>12</td><td>13</td></tr> <tr> <td>I</td><td>90</td><td>100</td><td>106</td></tr> <tr> <td>L</td><td>90</td><td>96</td><td>106</td></tr> </table>  K3-06130 Ø6 x 30 TX30		11	12	13	I	90	100	106	L	90	96	106	45 <table border="1" data-bbox="442 392 622 477"> <tr> <td></td><td>11</td><td>12</td><td>13</td></tr> <tr> <td>I</td><td>24</td><td>28</td><td>28</td></tr> <tr> <td>L</td><td>24</td><td>24</td><td>28</td></tr> </table>  K3-05056 M6 x 5		11	12	13	I	24	28	28	L	24	24	28		47  x 2 K3-08002 Ø8 x 40
	11	12	13																								
I	90	100	106																								
L	90	96	106																								
	11	12	13																								
I	24	28	28																								
L	24	24	28																								
48  x 2 K3-06027 Ø5 x 50 TX25	49  Strong glue Superkleber Seconde lijm Colle forte Superlim x 1 K3-90001 3 g	50  Ø 11,2mm x 1 K1-23345	51 <table border="1" data-bbox="1217 539 1369 618"> <tr> <td></td><td>11</td><td>12</td><td>13</td></tr> <tr> <td>I</td><td>22</td><td>24</td><td>24</td></tr> <tr> <td>L</td><td>22</td><td>22</td><td>24</td></tr> </table>  K3-06022 FZB/BZP K3-10226 RAL 9016 K3-10405 RAL 9005 Ø5 x 35 TX25		11	12	13	I	22	24	24	L	22	22	24												
	11	12	13																								
I	22	24	24																								
L	22	22	24																								
52 <table border="1" data-bbox="76 853 256 938"> <tr> <td></td><td>11</td><td>12</td><td>13</td></tr> <tr> <td>I</td><td>6</td><td>7</td><td>7</td></tr> <tr> <td>L</td><td>6</td><td>6</td><td>7</td></tr> </table>  K3-02101 M5 x 25		11	12	13	I	6	7	7	L	6	6	7	53 <table border="1" data-bbox="442 853 622 938"> <tr> <td></td><td>11</td><td>12</td><td>13</td></tr> <tr> <td>I</td><td>24</td><td>28</td><td>28</td></tr> <tr> <td>L</td><td>24</td><td>24</td><td>28</td></tr> </table>  K1-04040 M6 x 16		11	12	13	I	24	28	28	L	24	24	28	54  x 2 K3-08004 Ø10 x 60	55  x 1 K3-10010 M8
	11	12	13																								
I	6	7	7																								
L	6	6	7																								
	11	12	13																								
I	24	28	28																								
L	24	24	28																								
59  x 2 K3-04028 Ø8	60  x 2 K3-06015 Ø8 x 70	61  Wood glue Holzkleber Colle à bois Trælim Houtlijm x 1 K3-90005 40 ml																									

OPTION MÖGLICHKEIT OPTIE		OPTION MULIGHED	Cover kit Abdeckkappen Afdekkitt	Kit de couverture Afdækningskit
10 x 1 K1-1077070 <i>RAL 7016</i> K1-1077071 <i>RAL 9005</i> K1-1077072 <i>Pearl grey</i>			11 x 1 K1-1077075 <i>RAL 7016</i> K1-1077076 <i>RAL 9005</i> K1-1077077 <i>Pearl grey</i>	
51 x 2 K3-06022 Ø5 x 35		56 x 2 K3-08006 Ø6 x 40	58 x 8 R3-20590	

OPTION MÖGLICHKEIT OPTIE OPTION MULIGHED		Connection kit for 1/4 turn Verbindungssatz für 1/4-gewendelt Aansluitkit voor 1/4 slag Kit de connexion pour 1/4 tournant Forbindersæt til 1/4-sving		
6 x 2 K2-1077025 <i>RAL 7016</i> K2-1077026 <i>RAL 9005</i> K2-1077027 <i>Pearl grey</i> K2-1077028 <i>RAL 9016</i>		34 x 2 K1-1077690 <i>RAL 7016</i> K1-1077691 <i>RAL 9005</i> K1-1077692 <i>Pearl grey</i> K1-1077693 <i>RAL 9016</i>		
35 x 2 K2-1077695 <i>RAL 7016</i> K2-1077696 <i>RAL 9005</i> K2-1077697 <i>Pearl grey</i> K2-1077698 <i>RAL 9016</i>		36 x 2 K1-1077045 <i>RAL 7016</i> K1-1077046 <i>RAL 9005</i> K1-1077047 <i>Pearl grey</i> K1-1077048 <i>RAL 9016</i>	44 x 8 K3-06130 Ø6 x 30 TX30	45 x 8 K3-05056 M6 x 5

Tools not included!
Werkzeuge nicht enthalten!
Gereedschap niet inbegrepen!
Outils non inclus!
Værktøj ikke inkluderet!

~ 50 x 50mm

Ø 6mm
Ø 8mm
Ø 10mm
Ø 12mm





Ø 4mm
Ø 6mm
Ø 8mm
Ø 12mm


TX25
TX30
PH/PZ


2,5 mm
3 mm
4 mm

17mm

Protractor
Winkelmesser
Gradenboog
Rapporteur d'angle
Vinkelmåler







$$S = \frac{H}{T + 1}$$





min S	max S
190 mm	250 mm

T	min H	max H
9	1900 mm	2500 mm
10	2090 mm	2750 mm
11	2280 mm	3000 mm
12	2470 mm	3120 mm
13	2660 mm	3360 mm

Example / Beispiel / Voorbeeld /
Example / Eksempel:
H: 2400 mm, T: 11 st(pcs)



$$S = \frac{2400 \text{ mm}}{11 + 1} = 200 \text{ mm}$$






3


For removing burrs
Zum Entgraten
Om onregelmatigheden te elimineren
Pour éliminer les irrégularités
Til fjernelse af grater








4











5














20






21




22








24



26



25



Technical drawing of a rectangular plate with dimensions and mounting details. The plate has a width of 700mm and a height of 706mm. It features four circular mounting holes, each with a 6mm diameter. The holes are arranged in a 2x2 grid. A circular inset provides a detailed view of the mounting hole, showing a 6mm diameter and a 6mm spacing. The drawing includes dashed lines indicating the internal structure and mounting points. A diamond-shaped callout in the top left corner contains the number 27.

28






6 x
Ø 4mm
25mm

44



L




R









29

Diagram 29 illustrates the process of adjusting the height of the table. The main drawing shows a vertical post (9) with a hand pointing to a hole. A level is placed against the post to ensure it is vertical. A pencil is shown marking the post. A bracket (8) is shown attached to the post. A pencil is shown marking the post. A detail view shows a hole in the post with a 20mm dimension.



[illegible]










40




41





44






2 wall brackets must be mounted on a 1/4 turn staircase.

2 Wandhalterungen müssen auf einer 1/4-gewendelten Treppe montiert werden.

2 muurbeugels moeten gemonteerd worden op een 1/4 draai trap.



2 supports mural doivent être monté sur un escalier 1/4 tournant.

2 vægvinkler er påkrævet i en 1/4-svings-trappe.



45

OPTION



46

OPTION

